

# USER GUIDE FOR ONLINE REPORTING

## IMPORTANT NOTES:

- Please use 'Google Chrome' as your web browser.
- **Mandatory fields (marked with \*)**: Please fill in all mandatory fields in order to successfully submit the form.
- **Non-mandatory fields**: Please give as much information as you can. If the relevant information is not known, kindly leave the field(s) blank.

Section 1: Report Form	
FIELD(s)	NOTES
Report Type	<b>Initial report:</b> First submission of report to NPRA of a particular patient involving a particular ADR.
	<b>Follow-up report:</b> Submission of further reports related to the same case to inform of additional information not mentioned previously or which occurred after the initial report.  Please insert the <b>Initial Report Number</b> or mention <b>the date of initial report</b> at " <b>Report Comment</b> " column (under <b>Section 7 : Reporter Information</b> ) for reference.
Case Type	<b>Normal case</b>  <b>Parent Child Case:</b> used primarily when a foetus/child has suffered the reaction after the parent has taken the drug, e.g.: exposure during pregnancy or through breastfeeding.

Section 2: Patient Demographic	
FIELD(s)	NOTES
Patient Initials	Preferably full NRIC (without "-").
Patient Age	<b>IMPORTANT NOTE:</b> [Numeric fields] Whole numbers only; <b>NO DECIMAL NUMBERS</b>
Weight (kg)	
Height (cm)	

## Section 6: Drug Details

### IMPORTANT NOTE

- Remember!** Please click the **Add Drug** button each time after you have completed all the columns for each suspected/interaction/concomitant drug.

Show 10 entries

Characterisation	Product Name	Active Ingredient	Dose / Unit	Dose Frequency	Start Date	End Date	
Concomitant	Hovasc 10mg Tablet	AMLODIPINE BESILATE	10 Mg milligram(s)	1 DAY(s)	13/04/2015		Remove
Suspected	COVAPRIL TABLET 4MG	PERINDOPRIL ERBUMINE	4 Mg milligram(s)	1 DAY(s)	17/10/2016	16/01/2017	Remove

Showing 1 to 2 of 2 entries

Previous 1 Next

Back Next

- Please check if the drug details have been added to the table as shown above.

FIELD(s)	NOTES												
Input Method Active Ingredient Product Name MAL Number Reporter comment	<p>For <b>traditional medicine</b> products with a long list of active ingredients,</p> <table border="1"> <tr> <td>Input Method</td><td>Select "<b>Unknown brand / Unregistered</b>"</td></tr> <tr> <td>Active Ingredient</td><td>Enter "<b>TRADITIONAL MEDICINE</b>"</td></tr> <tr> <td>Product Name</td><td>Enter "&lt;<b>Product Name</b>&gt;"</td></tr> <tr> <td>MAL Number</td><td>&lt;Not available if 'Unknown brand / Unregistered' is selected&gt;</td></tr> <tr> <td>Reporter comment</td><td>Enter "<b>MAL Number</b>"</td></tr> </table> <p><i>Rationale: "Registered" products have to be directly selected from the Quest3plus database and editing is not allowed. If the long list of active ingredient exceeds the text number limit (250AN characters), the reporter will NOT be able to <b>add drug</b> and further <b>proceed</b> with report submission.</i></p>	Input Method	Select " <b>Unknown brand / Unregistered</b> "	Active Ingredient	Enter " <b>TRADITIONAL MEDICINE</b> "	Product Name	Enter "< <b>Product Name</b> >"	MAL Number	<Not available if 'Unknown brand / Unregistered' is selected>	Reporter comment	Enter " <b>MAL Number</b> "		
Input Method	Select " <b>Unknown brand / Unregistered</b> "												
Active Ingredient	Enter " <b>TRADITIONAL MEDICINE</b> "												
Product Name	Enter "< <b>Product Name</b> >"												
MAL Number	<Not available if 'Unknown brand / Unregistered' is selected>												
Reporter comment	Enter " <b>MAL Number</b> "												
Dose	<p><b>IMPORTANT NOTE:</b>            [Numeric fields] Whole numbers only; <b>NO DECIMAL NUMBERS/SPECIAL CHARACTERS.</b></p> <table border="1"> <tr> <th>Dose / Dose Unit</th><th>Dose / Dose Unit</th></tr> <tr> <td><b>500 MG milligrams</b></td><td>0.5 G grams</td></tr> <tr> <td><b>500 µG micrograms</b></td><td>0.5 MG milligrams</td></tr> <tr> <td colspan="2"><i>For fixed-dose-combination drugs (e.g. 10 MG/0.5 MG)</i></td></tr> <tr> <td><b>1 DF</b></td><td><b>10 MG/0.5 MG @10/0.5 MG</b></td></tr> <tr> <td><b>2 DF</b></td><td><b>20 MG/1 MG @20/1 MG</b></td></tr> </table>	Dose / Dose Unit	Dose / Dose Unit	<b>500 MG milligrams</b>	0.5 G grams	<b>500 µG micrograms</b>	0.5 MG milligrams	<i>For fixed-dose-combination drugs (e.g. 10 MG/0.5 MG)</i>		<b>1 DF</b>	<b>10 MG/0.5 MG @10/0.5 MG</b>	<b>2 DF</b>	<b>20 MG/1 MG @20/1 MG</b>
Dose / Dose Unit	Dose / Dose Unit												
<b>500 MG milligrams</b>	0.5 G grams												
<b>500 µG micrograms</b>	0.5 MG milligrams												
<i>For fixed-dose-combination drugs (e.g. 10 MG/0.5 MG)</i>													
<b>1 DF</b>	<b>10 MG/0.5 MG @10/0.5 MG</b>												
<b>2 DF</b>	<b>20 MG/1 MG @20/1 MG</b>												

<b>Dose Interval / Frequency; Dose Interval / Frequency Unit</b>	<b>OD: 1 DAY(s)</b> <b>EOD: 2 DAY(s)</b> <b>BD: 12 HOUR(s)</b> <b>TDS: 8 HOUR(s)</b> <b>QID: 6 HOUR(s)</b>																																								
	<b>STAT: Please state "STAT" at the "Reporter Comment" Column</b> <b>PRN: Please state "PRN" at the "Reporter Comment" Column</b>																																								
<b>Cumulative Dose / Day</b>	Total dose administered to the patient between therapy start date until first sign of the suspected ADR.																																								
<b>Field</b>	<table border="1"> <thead> <tr> <th></th> <th>Example 1: 0.5 g 3 times a day for 5 days</th> <th>Example 2: 0.5 g 3 times a day for 2 doses</th> <th>Example 3: 10 mg/0.5 mg (in one dose) every other day for 30 days</th> <th>Example 4: 20 mg STAT</th> </tr> </thead> <tbody> <tr> <td><b>Dose</b></td> <td>500</td> <td>500</td> <td>1</td> <td>20</td> </tr> <tr> <td><b>Dose Unit</b></td> <td>MG milligrams</td> <td>MG milligrams</td> <td>DF</td> <td>MG milligrams</td> </tr> <tr> <td><b>Dose Interval / Frequency</b></td> <td>8</td> <td>8</td> <td>2</td> <td>1</td> </tr> <tr> <td><b>Dose Interval / Frequency Unit</b></td> <td>HOUR(s)</td> <td>HOUR(s)</td> <td>DAY(s)</td> <td>DAY(s)</td> </tr> <tr> <td><b>Cumulative Dose / Day</b></td> <td>7500</td> <td>1000</td> <td>15</td> <td>20</td> </tr> <tr> <td><b>Cumulative Dose / Day Unit</b></td> <td>MG milligrams</td> <td>MG milligrams</td> <td>DF</td> <td>MG milligrams</td> </tr> <tr> <td><b>Reporter Comment</b></td> <td></td> <td></td> <td></td> <td>STAT</td> </tr> </tbody> </table>		Example 1: 0.5 g 3 times a day for 5 days	Example 2: 0.5 g 3 times a day for 2 doses	Example 3: 10 mg/0.5 mg (in one dose) every other day for 30 days	Example 4: 20 mg STAT	<b>Dose</b>	500	500	1	20	<b>Dose Unit</b>	MG milligrams	MG milligrams	DF	MG milligrams	<b>Dose Interval / Frequency</b>	8	8	2	1	<b>Dose Interval / Frequency Unit</b>	HOUR(s)	HOUR(s)	DAY(s)	DAY(s)	<b>Cumulative Dose / Day</b>	7500	1000	15	20	<b>Cumulative Dose / Day Unit</b>	MG milligrams	MG milligrams	DF	MG milligrams	<b>Reporter Comment</b>				STAT
	Example 1: 0.5 g 3 times a day for 5 days	Example 2: 0.5 g 3 times a day for 2 doses	Example 3: 10 mg/0.5 mg (in one dose) every other day for 30 days	Example 4: 20 mg STAT																																					
<b>Dose</b>	500	500	1	20																																					
<b>Dose Unit</b>	MG milligrams	MG milligrams	DF	MG milligrams																																					
<b>Dose Interval / Frequency</b>	8	8	2	1																																					
<b>Dose Interval / Frequency Unit</b>	HOUR(s)	HOUR(s)	DAY(s)	DAY(s)																																					
<b>Cumulative Dose / Day</b>	7500	1000	15	20																																					
<b>Cumulative Dose / Day Unit</b>	MG milligrams	MG milligrams	DF	MG milligrams																																					
<b>Reporter Comment</b>				STAT																																					
<b>Indication</b>	Please state the specific indication of the suspected drug e.g.: <ul style="list-style-type: none"> <li>• 'pneumonia due to <i>S. Pneumoniae</i>'- <u>NOT</u> 'infection' or 'antibiotic';</li> <li>• 'lower back pain'- <u>NOT</u> 'painkiller' or 'NSAID'.</li> </ul>																																								
<b>Reaction reappeared after reintroducing suspected drug</b>	If <a href="#">Yes</a> (i.e. the ADR reappeared after reintroducing drug), please describe the rechallenge fully (dose given, timing, brand used, etc.) under <a href="#">Section 5 : Adverse Drug Reactions</a> . <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <b>Rechallenge:</b> at least <b>ONE (1) dose interval</b> has been <b>skipped</b> with the patient <b>recovering fully from the reaction(s) in that period.</b> </div>																																								
<b>Concomitant</b>	If the patient <b>was NOT</b> taking any concomitant drugs, please state " <b>No concomitant drugs</b> " at the " <a href="#">Reporter Comment</a> " Column.																																								

### To keep a copy of your ADR web form:

- (1) Go to '**Summary**' Tab
- (2) Click '**Print**' button BEFORE proceeding to click '**Submit**' button
- (3) **Select a destination:**
  - Choose your printer for a hardcopy, OR
  - Choose 'Save as PDF' for a softcopy

Any further queries, please contact 03-7883 5447/5450  
or email to [fv@npra.gov.my](mailto:fv@npra.gov.my) with the subject line: [ADR Online Reporting].